

Flocking in Distributed Control and Optimization

Alfredo Garcia UNIVERSITY OF VIRGINIA

06/01/2015 Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory

AF Office Of Scientific Research (AFOSR)/ RTA2

Arlington, Virginia 22203

Air Force Materiel Command

FORM SF 298 Page 1 of 2

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Executive Services, Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.								
	TE (DD-MM-YYY		EPORT TYPE			3. DATES COVERED (From - To)		
30-09-2015	(•	nal Performance			01-04-2012 to 31-03-2015		
4. TITLE AND S Flocking in Dis	~	ol and Optimizat	ion		5a.	CONTRACT NUMBER		
						GRANT NUMBER FA9550-12-1-0163		
					5c.	PROGRAM ELEMENT NUMBER 61102F		
6. AUTHOR(S) Alfredo Garcio	a				5d.	PROJECT NUMBER		
						TASK NUMBER		
					5f.	WORK UNIT NUMBER		
UNIVERSITY OF 1001 N EMMET	VIRGINIA	ON NAME(S) AN 4833 US	ID ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AF Office of Scientific Research 875 N. Randolph St. Room 3112						10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR RTA2		
Arlington, VA	22203					11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
	ON/AVAILABILI N UNLIMITED: PE	TY STATEMENT B Public Release						
13. SUPPLEME	NTARY NOTES							
has received of coordinatic we developed flocking and conew approact flocking-based noise realization discarded beaffected by support of the coordinate of t	s, the study of beincreased atternation is achieved and formally other forms coold for simulation approach had approach had approach ach ach coold ach noise.	ntion by researcy ander relatively a analyzed techn rdinated behave- based optimized s an important in trajectories diff	ns in which flocking of hers in control and cominimal communicatiques for control and igues for control and significant system biological system that makes use noise reduction propering too much from do maintain cohesi	optimization. In tion requireme d global optimiz ystems. Most no of a flocking p perty. Under a fl n the group ave	these systements. In this received in the systement of th	ms, a great deal esearch project are inspired by ave developed a e show that the cipline, simulation kely to be		
15. SUBJECT T Distributed Co								
16. SECURITY CLASSIFICATION OF: 17. LIMITATION OF 18. NUMBER 19a. NAME OF RESPONSIBLE PERS								
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF PAGES	Alfredo Go	arcia		
Unclassified	Unclassified	Unclassified	UU	IAOLO		Standard Form 298 (Rev. 8/98)		

DISTRIBUTION A: Distribution approved for public release.

FORM SF 298 Page 2 of 2

1 1	19b. TELEPHONE NUMBER (Include area code)
	434-466-8309

Flocking in Distributed Control and Optimization FA9550-12-1-0163

Final Report PI: Alfredo Garcia, Co-PI: Zongli Lin

Department of Systems & Information Engineering
University of Virginia Charlottesville, VA 2294

1. Objectives

In recent years, the study of biological systems in which flocking and/or swarming phenomena is observed has received increased attention by researchers in control and optimization. In these systems, a great deal of coordination is achieved under relatively minimal communication requirements. In this research project we have developed and formally analyzed techniques for control and global optimization that are inspired by flocking and other forms coordinated behavior from biological systems. Most notably we have developed a new approach for simulation-based optimization that makes use of a flocking potential. We show that the flocking-based approach has an important noise reduction property. Under a flocking discipline, simulation noise realizations that induce trajectories differing too much from the group average are likely to be discarded because of each individual's need to maintain cohesion. As result the group trajectories are less affected by such noise.

2. Results

- 2.a The paper "Interactive Model-based Search for Global Optimization" by Yuting Wang and Alfredo Garcia was published in the *Journal of Global Optimization*. In this paper, we propose a new algorithmic design for global optimization based upon multiple interacting threads. In this design, each thread implements a model-based search in which the allocation of exploration versus exploitation effort does not vary over time. Threads interact through a simple acceptance-rejection rule preventing duplication of search efforts. We show the proposed design provides a speedup effect which is increasing in the number of threads. Thus, in the proposed algorithmic design, exploration is a complement rather than a substitute to exploitation.
- 2.b The papers "Consensus of discrete-time multi-agent systems with transmission non-linearity," and "Consensus of discrete-time second order multi-agent systems based on infinite products of general stochastic matrices," were respectively published in *Auto-matica* and *SIAM Journal on Control and Optimization*.
- 2.c The paper "Distributed Synchronization Control of Multi-agent Systems with Unknown Nonlinearities" by Shize Su, Zongli Lin and Alfredo Garcia was published in IEEE Transactions on Cybernetics. In this paper, we consider a distributed adaptive control problem for synchronization of multiagent systems where the dynamics of the agents are nonlinear, nonidentical, unknown, and subject to external disturbances. Distributed neural networks are used to approximate the uncertain dynamics. Decentralized adaptive control protocols are then constructed to solve the cooperative tracker problem, the problem of synchronization of all follower agents to a leader agent.

- 2.d The paper "Interactive Model-based Search with Reactive Resource Allocation" by Yue Sun and Alfredo Garcia has been accepted for publication at Journal of Global Optimization. In this paper, we consider an implementation of the interactive model-based approach (as in Wang and Garcia (2015)) that accounts for real time, that is, it takes into account the possibility that several threads may fail to identify a locally optimal solution whenever the acceptance-rejection rule is implemented. We propose a modified acceptance-rejection rule that alternates between enforcing diverse search (in order to prevent duplication) and reallocation of computational effort (in order to speed up the identification of local optima). We show that the rate of convergence in real-time increases with the number of threads. This result formalizes the idea that in parallel computing, exploitation and exploration can be complementary provided relatively simple rules for interaction are implemented.
- 2.d The paper "Noise Reduction by Swarming in Social Foraging" by Pu Shi, Alfredo Garcia and Zongli Lin has been submitted to *IEEE Transactions on Automatic Control*. In this paper, In this paper we develop a mathematical model for analyzing the benefits of social foraging in a noisy environment. We identify conditions on the nutrient profile ensuring that local agent actions will lead to cohesive foraging. For convex, smooth nutrient profiles we formalize the way in which swarming for social foraging is better at handling the effects of noise when compared to the average of individual foraging strategies. Under a swarming discipline, observational noise realizations that induce trajectories differing too much from the group average are likely to be discarded because of each individual's need to maintain cohesion. As result the group trajectories are less affected by noise. Simulation experiments indicate our theoretical results are robust to inter-agent communication constraints and non-convex nutrient profiles. These results suggest that swarming-like approaches for the control of networked agents may provide an additional level of robustness.
- 2.e The paper "Flocking for Simulation-based Optimization" by Pu Shi and Alfredo Garcia has been submitted to *Operations Research*. We describe the main findings in section 3 below.

3. Accomplishments/New Findings

In a recent paper "Flocking for Simulation-based Optimization" by Pu Shi and Alfredo Garcia we have made what we believe is an important discovery. We analyze a distributed approach for simulation-based optimization based upon a flocking discipline. Swarms, flocks and other group formations can be found in nature in many organisms ranging from simple bacteria to mammals. Such collective and coordinated behavior is effective for avoiding

predators and/or for increasing the chances of finding food (foraging). We consider an algorithmic scheme with several independent threads each updating a solution in greedy fashion based upon a noisy evaluation of the gradient and a flocking potential which is a combination of repulsive and attractive forces. We show that the flocking-based approach has an important noise reduction property. Under a flocking discipline, simulation noise realizations that induce trajectories differing too much from the group average are likely to be discarded because of each individual's need to maintain cohesion. As result the group trajectories are less affected by such noise.

We now provide an example that illustrates the robustness of a flocking-based approach for optimization. In Figure 1 (a) and (c) we respectively show the sample paths of individual threads solution and the distance to the optimal solution. It can inferred from Figure 1 (b) and (d) that individual threads operating in parallel are unable to approximate the optimal solution due to noise. Even when a solution that is close to optimal is reached the algorithm is not robust to noise perturbation. In contrast, the flocking discipline can be seen to reduce the effects of noise. This can be succinctly explained as follows. Under a flocking discipline noise realizations that induce trajectories differing too much from the group average are likely to be discarded because of each individual's need to maintain cohesion. As result the group trajectories are less affected by noise.

4. Personnel Supported

The annual support during the grant period (2012-2015) was as follows:

Alfredo Garcia	PI	$1\frac{1}{2}$ summer month
Zongli Lin	Co-PI	1 summer month
Pu Shi	PhD student	9 month, full support
Yue Sun	PhD student	9 month, partial support
Shize Su	PhD student	9 month, partial support

5. Publications:

- 1. Y. Chen, J. Lu and Z. Lin, "Consensus of discrete-time multi-agent systems with transmission nonlinearity, *Automatica*, Vol. 49, No. 6, 2013, pp. 1768-1775
- 2. Y. Chen, J. Lu, X. Yu and Z. Lin, "Consensus of discrete-time second order multi-agent systems based on infinite products of general stochastic matrices," *SIAM Journal on Control and Optimization*, Vol. 51 No. 4, 2013, pp. 3274-3301.
- 3. Y. Sun and A. Garcia, "Interactive Diffusions for Global Optimization," *Journal of Optimization Theory and Applications*, Vol. 163, No. 2, 2014, pp 491-509




Figure 1: Performance comparison.

- 4. Y. Wang and A. Garcia, "Interactive Model-based Search for Global Optimization," Journal of Global Optimization Vol. 61, No. 3, 2015, pp 479-495
- 5. H. Hu, S.Y. Yoon and Z. Lin, "Flocking of Wheeled Vehicles in the Presence of Large Communication Delay through a Potential Functional Approach, in *Proceedings of The 52nd IEEE Conference on Decision and Control, Florence, Italy.* December 10-13, 2013,
- S. Su, Z. Lin and A. Garcia "Distributed Synchronization Control of Multi-agent Systems with Unknown Nonlinearities" in *Proceedings of American Control Conference ACC* 2014, pp. 5361-5366.
- S. Su, Z. Lin and A. Garcia "Distributed Synchronization Control of Multi-agent Systems with Unknown Nonlinearities" accepted *IEEE Transactions on Cybernetics*, published online (DOI 10.1109/TCYB.2015.2402192)
- 8. Y. Sun and A. Garcia "Interactive Model-based Search with Reactive Resource Allocation accepted *Journal of Global Optimization*.
- 9. P. Shi, A. Garcia and Z. Lin "Noise Reduction by Swarming in Social Foraging" under review at *IEEE Transactions on Automatic Control*.
- 10. P. Shi and A. Garcia "Flocking for Simulation-based Optimization" under review at *Operations Research*.

6. Interactions/Transitions

a. In the Spring semester 2014 we taught a course in decision analysis which covered mathematical models of learning. Emphasis was made on collective learning behavior (such as herding and cascades). A paper on flocking and learning which resulted from a final course project is currently being drafted.

7. New discoveries, inventions, or patent disclosures.

None

1.

1. Report Type

Final Report

Primary Contact E-mail

Contact email if there is a problem with the report.

agarcia@virginia.edu

Primary Contact Phone Number

Contact phone number if there is a problem with the report

4344668309

Organization / Institution name

University of Virginia

Grant/Contract Title

The full title of the funded effort.

Flocking in Distributed Control and Optimization

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-12-1-0163

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Alfredo Garcia

Program Manager

The AFOSR Program Manager currently assigned to the award

Fariba Fahroo

Reporting Period Start Date

06/01/2011

Reporting Period End Date

03/31/2015

Abstract

In recent years, the study of biological systems in which flocking and/or swarming phenomena is observed has received increased attention by researchers in control and optimization. In these systems, a great deal of coordination is achieved under relatively minimal communication requirements. In this research project we developed and formally analyzed techniques for control and global optimization that are inspired by flocking and other forms coordinated behavior from biological systems. Most notably we have developed a new approach for simulation-based optimization that makes use of a flocking potential. We show that the flocking-based approach has an important noise reduction property. Under a flocking discipline, simulation noise realizations that induce trajectories differing too much from the group average are likely to be discarded because of each individual's need to maintain cohesion. As result the group trajectories are less affected by such noise.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information. DISTRIBUTION A: Distribution approved for public release.

SF298 Form

Please attach your SF298 form. A blank SF298 can be found here. Please do not password protect or secure the PDF The maximum file size for an SF298 is 50MB.

AFOSR Garcia.pdf

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF. The maximum file size for the Report Document is 50MB.

AFOSR_report_final.pdf

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

- 1. Y. Chen, J. Lu and Z. Lin, ``Consensus of discrete-time multi-agent systems with transmission nonlinearity, Automatica, Vol. 49, No. 6, 2013, pp. 1768-1775
- 2. Y. Chen, J. Lu, X. Yu and Z. Lin, ``Consensus of discrete-time second order multi-agent systems based on infinite products of general stochastic matrices," SIAM Journal on Control and Optimization, Vol. 51 No. 4, 2013, pp. 3274-3301.
- 3. Y. Sun and A. Garcia, ``Interactive Diffusions for Global Optimization," Journal of Optimization Theory and Applications, Vol. 163, No. 2, 2014, pp 491-509
- 4. Y. Wang and A. Garcia, ``Interactive Model-based Search for Global Optimization," Journal of Global Optimization Vol. 61, No. 3, 2015, pp 479-495
- 5. H. Hu, S.Y. Yoon and Z. Lin, ``Flocking of Wheeled Vehicles in the Presence of Large Communication Delay through a Potential Functional Approach, in Proceedings of The 52nd IEEE Conference on Decision and Control, Florence, Italy. December 10-13, 2013,
- 6. S. Su, Z. Lin and A. Garcia "Distributed Synchronization Control of Multi-agent Systems with Unknown Nonlinearities" in Proceedings of American Control Conference ACC, 2014, pp. 5361-5366.
- 7. S. Su, Z. Lin and A. Garcia ``Distributed Synchronization Control of Multi-agent Systems with Unknown Nonlinearities" accepted, IEEE Transactions on Cybernetics, published online (DOI 10.1109/TCYB.2015.2402192)
- 8. Y. Sun and A. Garcia ``Interactive Model-based Search with Reactive Resource Allocation accepted, Journal of Global Optimization.
- 9. P. Shi, A. Garcia and Z. Lin ``Noise Reduction by Swarming in Social Foraging" under review at IEEE Transactions on Automatic Control.
- 10. P. Shi and A. Garcia ``Flocking for Simulation-based Optimization" under review at Operations Research.

Changes in research objectives (if any):

Change in AFOSR Program Manager, if any:

Extensions granted or milestones slipped, if any:

AFOSR LRIR Number

DISTRIBUTION A: Distribution approved for public release.

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, \$K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

2. Thank You

E-mail user

May 22, 2015 15:11:45 Success: Email Sent to: agarcia@virginia.edu